

Northwest Consolidated Fire District

De Soto, KS

This report was generated on 5/1/2017 9:32:06 AM



Incident Statistics

Start Date: 01/01/2016 | End Date: 12/31/2016

INCIDENT COUNT			
INCIDENT TYPE		# INCIDENTS	
EMS		509	
FIRE		299	
TOTAL		808	
TOTAL TRANSPORTS (N2 and N3)			
APPARATUS	# of APPARATUS TRANSPORTS	# of PATIENT TRANSPORTS	TOTAL # of PATIENT CONTACTS
TOTAL			
PRE-INCIDENT VALUE		LOSSES	
\$1,126,400.00		\$151,000.00	
CO CHECKS			
424 - Carbon monoxide incident		3	
736 - CO detector activation due to malfunction		1	
746 - Carbon monoxide detector activation, no CO		2	
TOTAL		6	
MUTUAL AID			
Aid Type		Total	
Aid Given		24	
Aid Received		18	
OVERLAPPING CALLS			
# OVERLAPPING		% OVERLAPPING	
102		12.62	
LIGHTS AND SIREN - AVERAGE RESPONSE TIME (Dispatch to Arrival)			
Station	EMS	FIRE	
Station 191	0:06:19	0:06:49	
Station 192	0:07:10	0:07:50	
Station 193	0:04:31	0:05:51	
AVERAGE FOR ALL CALLS		0:05:55	
LIGHTS AND SIREN - AVERAGE TURNOUT TIME (Dispatch to Enroute)			
Station	EMS	FIRE	
Station 191	0:01:07	0:01:31	
Station 192	0:00:58	0:01:30	
Station 193	0:00:58	0:01:17	
AVERAGE FOR ALL CALLS		0:01:10	

Only Reviewed Incidents included. CO Checks only includes Incident Types: 424, 736 and 734. # Apparatus Transports = # of incidents where apparatus transported. # Patient Transports = # of PCR with disposition "Treated, Transported by EMS". # Patient Contacts = # of PCR contacted by apparatus. This report now returns both NEMSIS 2 & 3 data as appropriate.

AGENCY	AVERAGE TIME ON SCENE (MM:SS)
Northwest Consolidated Fire District	30:39

Only Reviewed Incidents included. CO Checks only includes Incident Types: 424, 736 and 734. # Apparatus Transports = # of incidents where apparatus transported. # Patient Transports = # of PCR with disposition "Treated, Transported by EMS". # Patient Contacts = # of PCR contacted by apparatus. This report now returns both NEMSIS 2 & 3 data as appropriate.